

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION FOR LETTERS PATENT

EV369763969

Cryptographic Pairing-Based Short Signature Generation and Verification

Inventor(s):

Ramarathnam Venkatesan

Dan Boneh

Peter L. Montgomery

Victor Boyko

421 West Riverside, Suite 500
Spokane, WA 99201
P: 509.324-9256
F: 509.323-8979
www.leeandhayes.com

lee & hayes

ATTORNEY'S DOCKET NO. MS1-1286us

1
2 **CRYPTOGRAPHIC PAIRING-BASED SHORT SIGNATURE**

3 **GENERATION AND VERIFICATION**

4
5 **TECHNICAL FIELD**

6 This invention generally relates to a technology for cryptography.

7
8 **BACKGROUND**

9 Over the centuries, for as long as information has been communicated
10 between two individuals, it has been susceptible to third-party interception,
11 eavesdropping, compromise and/or corruption. Traditionally, this problem has
12 been handled through the development, over the years, of increasingly
13 sophisticated cryptographic techniques.

14
15 **Key-Based Ciphers**

16 One class of these sophisticated cryptographic techniques involves the use
17 of key-based ciphers. In particular, through a key-based cipher, a sequence of
18 intelligible data (i.e., plaintext) that collectively form a message are
19 mathematically transformed, through an enciphering algorithm, into seemingly
20 unintelligible data (i.e., so-called ciphertext).

21 As a practical matter, a particular cipher that generates any given ciphertext
22 should be sufficiently secure from cryptanalysis. To provide a requisite level of
23 security, a unique key is typically selected which defines a unique corresponding
24 cipher.

1 Generally speaking, the strength of any cryptographic technique (and hence
2 the degree of protection it affords from third-party intrusion) is directly
3 proportional to the time required, by a third party, to perform cryptanalysis. With
4 a key-based cipher, cryptanalysis is where a third party is able to successfully
5 convert the ciphertext into its corresponding plaintext without prior knowledge of
6 the key.

7 As technology evolves, the art of cryptography advances in a continual
8 effort to develop increasingly sophisticated cryptographic techniques that
9 withstand correspondingly intensifying cryptanalysis.

10 **Short Signatures**

11
12 Digital signatures on binary messages are the digital equivalent of human
13 signatures on printed documents. Signatures must be short in environments with
14 strong bandwidth constraints. For example, software product registration systems
15 often ask users to enter a signature provided on a product label.

16 Primarily for customer service reasons and other practical constraints, it is
17 highly desirable to use a short signature when a human is asked to manually enter
18 the signature. Similarly, due to space constraints, short signatures are desirable
19 when one prints a bar-coded digital signature on a postage stamp. Also, legacy
20 protocols typically have a fixed short field for non-repudiation.

21 However, the shorter a signature is, the easier that it is for a digital pirate to
22 break the system by cryptanalysis. Therefore, schemes have been developed with
23 the intent of increasing the security of a cipher given an allotted fixed field length.

1
2 **SUMMARY**

3 Described herein is a technology for cryptography.

4 In at least one implementation, described herein, P and Q_1, \dots, Q_n are public
5 points on an elliptic curve over a finite field, but the ratios of Q_i to P are private.
6 Those ratios are the components $(\alpha_1, \dots, \alpha_n)$ of a private key α , where $Q_i = \alpha_i P$.

7 An implementation, described herein, generates short digital ciphers (i.e.,
8 signatures), at least in part, by mapping a message M to a point T on the elliptic
9 curve and then scaling that point T based upon the private key α to get S . At least
10 one other implementation, described herein, verifies those ciphers by comparing
11 pairing values of two pairs, where one pair is the public point P and the scaled
12 point S and another pair is public Q and the point T . This implementation tests
13 whether $\log(Q)/\log(P) = \log(S)/\log(T)$, without computing any elliptic curve
14 discrete logarithm directly.

15 This summary itself is not intended to limit the scope of this patent.
16 Moreover, the title of this patent is not intended to limit the scope of this patent.
17 For a better understanding of the present invention, please see the following
18 detailed description and appending claims, taken in conjunction with the
19 accompanying drawings. The scope of the present invention is pointed out in the
20 appending claims.

1 **BRIEF DESCRIPTION OF THE DRAWINGS**

2 The same numbers are used throughout the drawings to reference like
3 elements and features.

4 Fig. 1 is a flow diagram showing a methodological implementation
5 described herein.

6 Fig. 2 is a flow diagram showing a methodological implementation
7 described herein.

8 Fig. 3 is an example of a computing operating environment capable of
9 (wholly or partially) implementing at least one embodiment described herein.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

1
2 **DETAILED DESCRIPTION**

3 In the following description, for purposes of explanation, specific numbers,
4 materials and configurations are set forth in order to provide a thorough
5 understanding of the present invention. However, it will be apparent to one skilled
6 in the art that the present invention may be practiced without the specific
7 exemplary details. In other instances, well-known features are omitted or
8 simplified to clarify the description of the exemplary implementations of present
9 invention, thereby better explain the present invention. Furthermore, for ease of
10 understanding, certain method steps are delineated as separate steps; however,
11 these separately delineated steps should not be construed as necessarily order-
12 dependent in their performance.

13 The following description sets forth one or more exemplary
14 implementations of Cryptographic Pairing-Based Short Signature Generation and
15 Verification that incorporate elements recited in the appended claims. These
16 implementations are described with specificity in order to meet statutory written
17 description, enablement, and best-mode requirements. However, the description
18 itself is not intended to limit the scope of this patent.

19 The inventors intend these exemplary implementations to be examples.
20 The inventors do not intend these exemplary implementations to limit the scope of
21 the claimed present invention. Rather, the inventors have contemplated that the
22 claimed present invention might also be embodied and implemented in other ways,
23 in conjunction with other present or future technologies.

24 An example of an embodiment of Cryptographic Pairing-Based Short
25 Signature Generation and Verification may be referred to as an “exemplary short

1 signature architecture”. Alternatively, an example embodiment of a generator may
2 be referred to as an “exemplary short signature generator”, and an example
3 embodiment of a verifier may be referred to as an “exemplary short signature
4 verifier”.

5 Those who are skilled in the art are directed to find additional useful and
6 relevant information regarding signature compression (i.e., signature shortening)
7 techniques for ElGamal-type signature systems and their derivatives in the
8 following co-owned U.S. Patents:

- 9 • U.S. Patent No. 6,163,841, entitled “Technique for Producing
10 Privately Authenticatable Cryptographic Signature for
11 Authenticating Such Signatures” issued on December 19, 2000; and
- 12 • U.S. Patent No. 6,209,093, entitled “Technique for Producing
13 Privately Authenticatable Product Copy Indicia and for
14 Authenticating Such an Indicia” issued on March 27, 2001.

15 The one or more exemplary implementations, described herein, of the
16 present claimed invention may be implemented (in whole or in part) by a
17 computing environment like that shown in Fig. 3.

18
19 Some Mathematical Notation Used Herein

- 20
- 21 0 Point at infinity on elliptic curve (plus its usual meanings).
 - 22 α_i Secret (private) exponents in $Q_i = \alpha_i P$ ($1 \leq i \leq n$)
 - 23 a_4, a_6 Coefficients of elliptic curve equation $y^2 = x^3 + a_4x + a_6$
 - 24 β_i Secret (private) exponents in $\beta_i P$ ($1 \leq i \leq k$).
 - 25 BK Backdoor key, known only by the server.

1	e_m	Pairing function, defined on $E[m] \times E[m]$.
2	E	An elliptic curve (or elliptic curve group).
3	E/K	An elliptic curve group E over a field K .
4	$E[m]$	Group of all m^2 points of order (dividing) m on an elliptic curve E ,
5		possibly in an extension to the field over which E was defined.
6	f_c	For integer c and point S on E/K_{base} , a rational function
7		on E/K_6 with divisor
8		$(f_c) = c(S) - (cS) - (c-1)(0)$.
9	Frob	Frobenius endomorphism on an elliptic curve defined over $\text{GF}(p)$.
10		If $Q = (x, y)$ is a point on the curve, then $\text{Frob}(Q) = (x^p, y^p)$.
11	Γ	Parameter used in authentication protocols.
12	$ G $	Order of a group G (often used in the form $ E/K $).
13	$g_{U,V}$	For points U and V on E/K_6 , the function on E/K_6 corresponding
14		to the line through U and V (if $U = V$, then $g_{U,V}$ is the tangent line
15		to the curve at U , and if either U or V is equal to 0,
16		then $g_{U,V}$ is the vertical line through the other point).
17	g_U	Shortcut for the vertical line $g_{U,-U}$.
18	$\text{GF}(q)$	Finite field with q elements, where q is prime or prime power.
19	h	Hashing function defined on powers of $e_m(P, P_b)$.
20	$H_1(M)$	Hashing function mapping message M to a vector v of length n ,
21		with components being integers modulo m . Alternatively, the
22		components may be ± 1 (see the end of the section on "Exemplary
23		Short Signature Generation").
24	$H_2(M)$	Hashing function mapping message M to a point of order m ,
25		specifically a multiple of P_b .

1	$H_3(BK, M)$	Hashing function dependent on backdoor key BK ,
2		mapping message M to an integer from 1 to Γ .
3	$H_4(BK, M)$	Hashing function dependent on backdoor key BK ,
4		mapping message M to a vector u of length k ,
5		with components ± 1 .
6	$H_5(BK, M)$	Hashing function dependent on backdoor key BK ,
7		mapping message M to an integer from 0 to $\Gamma - 1$.
8	k	Parameter used in authentication protocols.
9	K	A field.
10	K^*	Multiplicative subgroup (i.e., all nonzero elements) of a field K .
11	K_{base}	Base field when using field extensions. Same as $\text{GF}(p)$.
12	K_3	Degree-3 extension of K_{base} . Isomorphic to $\text{GF}(p^3)$.
13	K_6	Degree-6 extension of K_{base} . Represented as $K_3[t]$.
14	$2L$	Length of point S when converted to binary.
15	ℓ	Number of high-order bits truncated from the signature.
16	M	Message to be signed.
17	m	Order of torsion points.
18	n	Length of vectors $\{\alpha_i\}$, $\{Q_i\}$, and v .
19	P, Q, S, T	Elliptic curve points
20	P, P_b	Independent points of order m on an elliptic curve.
21		In at least one implementation, P has the form (x, ty)
22		where $x, y \in \text{GF}(p^3)$, whereas $P_b \in E/\text{GF}(p)$.
23	$\langle P \rangle$	Subgroup generated by element P .
24	$P + Q, P - Q$	Elliptic curve addition and subtraction.
25	Q	$\sum_{1 \leq i \leq n} v_i Q_i$, as computed by a verifier.

1	Q_i	Public points $Q_i = \alpha_i P$ ($1 \leq i \leq n$).
2	r	Degree of extension needed so $E[m]$ has the
3		full m^2 elements over $\text{GF}(p')$.
4	S	αT for some α known only to the signer.
5	S'	A multiple of P_b , as computed by the signer.
6	T	$H_2(M)$, a multiple of P_b .
7	t	Element of $\text{GF}(p^2)$ such that $t^2 = w$.
8	τ	(1) Integer such that $ E/\text{GF}(p) = p + 1 - \tau$.
9		(2) Mapping from a subgroup of E/K_6 to a curve over K_3 .
10	u	(1) Vector, length k , with values ± 1 , as output by $H_4(BK, M)$.
11		(2) Exponent with Γ potential values,
12		as output by $H_3(BK, M)$ or $H_5(BK, M)$.
13	v	Vector of length n , as output by $H_1(M)$,
14		sometimes with elements restricted to ± 1 .
15	w	Quadratic non-residue modulo p .

17 Elliptic Curve Notations and Properties

18 A common equation for an elliptic curve E over a field K , not of
19 characteristic 2 or 3, is

$$20 E: y^2 = x^3 + a_4x + a_6$$

21 where $a_4, a_6 \in K$ and $4a_4^3 + 27a_6^2 \neq 0$.

22 As is well-known, the points on E together with a point at infinity (called
23 0) form an abelian group. Within this document, the upper case letters P, Q, S, T
24 denote points (finite or infinite) on an elliptic curve. Given two points P_1 and P_2
25 on the curve, elliptic curve addition produces a third point on the curve (e.g., $P_1 +$

1 $P_2 = Q$). One can recover one of those two input points by subtracting the other
2 from the sum (e.g., $P_2 = Q - P_1$). Adding the zero point (also called point at
3 infinity or the identity) to P produces P (e.g., $0 + P = P$). We sometimes use the
4 summation symbol Σ when adding several group elements.

5 Herein, the “order of a point” (P) is the smallest positive integer m , such
6 that $mP = P + P + P + P + \dots + P = 0$ (wherein m copies of P are added together).

7 The order of a point is always finite when the curve is defined over a finite field.

8 9 Intractability Assumptions

10 The exemplary short signature architecture utilizes some intractability
11 assumptions. Examples of some of those assumptions include:

- 12 • Keyed hashing functions behave as random oracles.
- 13 • Discrete log on Elliptic curves (EC DLOG) is modeled by generic or
14 black box group model.
- 15 • The Computational Diffie-Hellman assumption.

16 Discrete log on Elliptic curves is modeled by Generic or Black box group
17 model. With this, there is a lower bound for the discrete log problem: the attack
18 takes $\sqrt{|G|}$ steps of computation if the underlying group is G . The black box
19 model assumes essentially that the group elements appear as if encrypted by a
20 random oracle.

21 In general, the Computational Diffie-Hellman problem (CDH) is “hard” on
22 certain elliptic curves over a finite field. Herein, “hard” means that its calculation
23 is highly impractical given current computational capabilities. Put another way,
24 the CDH assumption, when applied to the multiplicative group $\text{GF}(p)^*$, suggests
25 that the task of computing the map $(g, g^a, g^b) \rightarrow g^{ab}$ is hard, when g generates a

1 large subgroup. The exemplary short signature architecture utilizes the CDH
2 assumption as applied to groups over curves.

3 Another example of a hard assumption is the DLOG assumption. The
4 DLOG assumption problem is this:

- 5 • Using elliptic curve arithmetic, $m'P = P + P + P + P + \dots + P = Q$,
6 where P is repeated m' times.
- 7 • The assumption is that it is hard to find m' when given Q and P .

8 Those of ordinary skill in the field understand and appreciate the CDH
9 assumption. It is discussed further in *Short signatures based on Weil pairing*, D.
10 Boneh, B. Lynn and H. Shacham, In C. Boyd, editor, *Proceeding of Asiacrypt*,
11 *2001*, volume 2248 of LNCS. Springer-Verlag, 2001.

12 General Pairing Function

13
14 Given an elliptic curve E over a field K , and a positive integer m , we let
15 $E[m]$ denote the points P on E such that $mP = 0$ (i.e., points whose order divides
16 m). This $E[m]$ will always be a subgroup of E , and will have exactly m^2 elements
17 if the field with coordinates of the vectors is large enough.

18 If $P, Q \in E[m]$, a generic notation for a pairing function is $e_m(P, Q)$. The
19 output of $e_m(P, Q)$ is an m -th root of unity in K . Two well-known types of pairing
20 functions are: Tate or Weil. Those of ordinary skill in the art are familiar with
21 these pairing functions.

22 Also, those who are skilled in the art understand that these pairings have a
23 bilinear property:

$$24 \quad e_m(P, Q_1 + Q_2) = e_m(P, Q_1) e_m(P, Q_2)$$

$$25 \quad e_m(P_1 + P_2, Q) = e_m(P_1, Q) e_m(P_2, Q)$$

1 for all $P, P_1, P_2, Q, Q_1, Q_2 \in E[m]$. A consequence is

$$2 \quad e_m(\alpha P, Q) = e_m(P, Q)^\alpha = e_m(P, \alpha Q)$$

3 where $P, Q \in E[m]$ and α is an integer.

4 Selection of curves

5
6 The exemplary short signature architecture may use, for example, genus 1
7 or genus 2 elliptic curves defined over a prime field $\text{GF}(p)$. For the purposes of
8 discussion, the focus herein is on the genus 1 case.

9 The Weil, Tate, Squared Weil, and Squared Tate Pairings on this type of
10 curve all map into the finite field having an extension of degree r , where r is large
11 enough that $(E/\text{GF}(p^r))[m]$ has a full m^2 elements. For a random curve, by the
12 results of Balasubramanian and Koblitz, the degree of this extension will be quite
13 large except with negligible probability. However one can use specialized
14 methods to pick, for example, curves whose extension has suitable degree $r = 6$ or
15 $r = 8$. This will enable avoiding expensive computations that would result from a
16 high-degree extension. The exemplary short signature architecture may also
17 include computations when $r = 6$.

18 Exemplary Short Signature Architecture

19
20 The exemplary short signature architecture utilizes pairing-based signatures
21 where a message M has a signature with two components (M, S) , where S is a
22 point on a curve. This signature is deterministic.

23 In at least some implementations, the ratio of $|E/\text{GF}(p)|$ to m will be small.
24 Then the security of the system, in a generic oracle model, is on the order of 2^L ,
25 where $2L$ is the length of S in binary. (This can be seen as follows: The security of

1 the system, in a generic oracle model, is on the order of \sqrt{m} . The binary length
2 of S is $\log_2(p)$, which is approximately $\log_2(|E/\text{GF}(p)|)$. Then L , which is half of
3 that length, will be close to $\log_2 \sqrt{m}$.)

4 In comparison, the ElGamal-type signatures are randomized, where a given
5 message has many different valid signatures depending on the random number
6 used in signing the message.

7 Alternatively, the exemplary short signature architecture may utilize
8 pairing-based signatures where a message M has a signature with only one
9 component.

10 Notations for the description of the Exemplary Short Signature Architecture

11
12 The exemplary short signature architecture uses an elliptic curve ($E/\text{GF}(p)$).
13 Fix a positive integer m and a point P of order m on E . Let $e_m : E[m] \times E[m] \rightarrow$
14 $\text{GF}(p)^*$ denote the Tate or Weil or Squared Tate or Squared Weil Pairing on $E[m]$.
15 Select a value of n .

16 The following are the public and private keys:

- 17 • **Private Key:** Scaling factors $\alpha_1, \dots, \alpha_n$, each from 0 to $m-1$.
- 18 • **Public Key:** $p, m, n, P, Q_1 = \alpha_1 P, \dots, Q_n = \alpha_n P$.

19 The architecture employs two hashing functions (H_1 and H_2), which are effectively
20 viewed as random oracles. They are defined as follows. Given a message M , the
21 output of $M \rightarrow H_1(M)$ is a vector $v = H_1(M)$ of length n with values modulo m . One
22 implementation is: $v_i = \text{SHA}_1(K_1, M, i) \bmod m$, where K_1 is an arbitrary fixed
23 string. The output of $H_2(M)$ is a point of order m on the curve – the H_2 definition
24 might map to a multiple of P_b , where P_b is a point of order m on E but independent
25 of P .

1 One implementation of H_2 is as follows: Set a counter to 0. A hashing
2 function is applied to M and the value of the counter, and the result is converted to
3 a value x over $\text{GF}(p)$. The value of $f(x) = x^3 + a_4x + a_6$, where a_4 and a_6 are the
4 coefficients of the equation defining E , is computed. If $f(x)$ has a square root, then
5 y is set to one of the square roots (the choice of which square root to select is done
6 using a hashing function). If $f(x)$ does not have a square root, the counter is
7 incremented and the process is repeated. Once a point (x, y) is obtained, this point
8 is multiplied by $|E/\text{GF}(p)|/m$ to obtain an m -torsion point. It can be shown that for
9 some choices of system parameters, the resulting m -torsion point will be a
10 multiple of P_b . H_2 definition may employ the computation of a Jacobi symbol.

11 Exemplary Short Signature Generation

12
13 A computing environment (e.g., software manufacturer's servers or
14 centralized server) may generate a short signature using the exemplary short
15 signature generator. Generating the signature of a message is also called "signing"
16 the message.

17 Fig. 1 shows a methodological implementation of the exemplary short
18 signature generator. This methodological implementation may be performed in
19 software, hardware, or a combination thereof.

20 At 110, the exemplary short signature generator receives input that is a
21 message M . It may be, for example, a plaintext message, a product identification,
22 or other such message.

23 At 120, it defines a vector v to be v_1, \dots, v_n , which is further defined to be a
24 hashing function on the message ($H_1(M)$). The exemplary short signature
25 generator produces the vector v in accordance with the following equation:

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

$$v \stackrel{def}{=} (v_1, \dots, v_n) = H_1(M) \quad (1.1)$$

At 130, the exemplary short signature generator defines the private key α based upon the vector v and the private key components $(\alpha_1, \dots, \alpha_n)$ in accordance with the following equation:

$$\alpha = \sum_{i=1}^n v_i \alpha_i \text{ mod } m \quad (1.2)$$

Using another hashing function, at 140, it maps a new m -torsion point T on the curve based upon the message M , in accordance with this equation $T = H_2(M)$. Furthermore, it derives a signature S using point T and the private key α , and in accordance with the following equation:

$$S = \alpha T = \alpha H_2(M) \quad (1.3)$$

At 150, the exemplary short signature generator produces the signature pair (M, S) based upon the results of block 140.

At 160, it indicates the results.

Roughly speaking, the exemplary short signature generator forges short digital ciphers (i.e., signatures) by computing n discrete logs of $\alpha_1 P, \dots, \alpha_n P$ base P , where n is a positive integer, P is a point on an elliptic curve and a public key, and the scaling factors α_i are an unknown private key. This adds a factor of \sqrt{n} to

1 the security of the system (i.e. the required computational effort to break the
2 system) without affecting the signature length.

3 Furthermore, the hashing function H_1 may output values in $\{\pm 1\}^n$, meaning
4 the output of H_1 is a vector of length n all of whose components are +1 or -1.
5 Doing so may reduce the time needed to verify signatures and will allow use of
6 large values of n .

7 Exemplary Short Signature Verification

8
9 A computing environment (e.g., a client computer) may verify the short
10 signature using the exemplary short signature verifier. As indicated above, there is
11 a set of public keys $Q_i = \alpha_i P$ based on a point P . Intuitively, the ratio between P
12 and Q_i is α_i .

13 While the points P and points Q_i are known publicly, the scaling factors α_i
14 are private. Thus, α_i is known only by the signer (not by the verifier).

15 Fig. 2 shows a methodological implementation of the exemplary short
16 signature verifier. This methodological implementation may be performed in
17 software, hardware, or a combination thereof.

18 At 210, the exemplary short signature verifier obtains an input message-
19 and-signature pair, which is labeled (M, S) . For a valid signature, $S = \alpha T = \alpha$
20 $H_2(M)$.

21 At 220, it defines the vector v to be v_1, \dots, v_n , which is further defined to be
22 $H_1(M)$. The verifier calculates the vector v in accordance with the following
23 equation:

$$24 \quad \overset{def}{v} = (v_1, \dots, v_n) = H_1(M). \quad (1.4)$$

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

At 230, the verifier calculates a point Q in accordance with this equation:

$$Q = \sum_{1 \leq i \leq n} v_i Q_i \quad (1.5)$$

This calculation utilizes known components, namely the elements (v_1, \dots, v_n) of vector v that were calculated above (in equation (1.4)) and the publicly known points (Q_1, \dots, Q_n) . Although the verifier does not know the scalars α_i , nor the signer's value of α , the computed Q in (1.5) will satisfy

$$Q = \sum_{1 \leq i \leq n} v_i (\alpha_i P) = (\sum_{1 \leq i \leq n} v_i \alpha_i) P = (\sum_{1 \leq i \leq n} v_i \alpha_i \text{ mod } m) P = \alpha P.$$

At 240, utilizing the pairing function, the exemplary short signature verifier determines whether the pairing results of the pair (P, S) and the pair (Q, T) , where $T = H_2(M)$, are equivalent in accordance with this equation:

$$e_m(P, S) = e_m(Q, T) ? \quad (1.5)$$

At 250, it indicates the results of the test.

If they match, then the verifier accepts the signature at 260. Otherwise, it rejects the signature at 270.

Since $Q = \alpha P$ and $S = \alpha T = \alpha H_2(M)$, the verifier will verify a valid signature because:

$$e_m(P, S) = e_m(P, \alpha T) = e_m(P, T)^\alpha = e_m(\alpha P, T) = e_m(Q, T) .$$

1 **Signatures with Authentication Tags**

2 While the public-private-key signature systems have a high degree of
3 security, they rely heavily on the private key remaining secret. If a digital pirate
4 discovers the private key (e.g., via cryptanalysis or a ruse), a traditional public-
5 private-key signature system is compromised.

6 To address this, an alternative exemplary short signature architecture may
7 be configured to have a mechanism for checking the authenticity of a signature. In
8 this implementation, the breaking of the public-private-key system alone will not
9 allow the production of signatures that would validate at a centralized verification
10 server.

11 One way to accomplish this adds one or more additional so-called “fail-
12 stop” signatures. Such is discussed in the *Handbook of Applied Cryptography*,
13 Menezes, Oorschot, and Vanstone (CRC Press, 1996). With this, the compromise
14 of the public key does not lead to the discovery to the specific private key of the
15 signer. However, adding such a signature to the existing one increases the overall
16 length of the signature.

17 With this implementation of the alternative exemplary short signature
18 architecture, an authentication tag is incorporated into the signature.

19 Within it, a parameter Γ is fixed. This alternative exemplary short
20 signature architecture employs a so-called “backdoor” check key BK , which is
21 held private and secret at the server. A new hashing function, $H_3(BK, M)$, maps a
22 message M into an integer from 1 to Γ .

1 The alternative exemplary short signature generator signs a message M by
2 computing $\mu = H_3(BK, M)$. The output of the new generator is $(M, \mu S)$ where S is
3 computed as before.

4 To verify a signature (M, S') without possession of the backdoor check key
5 BK (i.e., not at the server), the alternative exemplary short signature verifier
6 searches through all Γ numbers from 1 to Γ until an exponent μ is found such that
7 $e_m(P, S') = e_m(Q, T)^\mu$, where Q and T are computed as above. If such a μ is found,
8 the signature is accepted. Otherwise, the signature is rejected. This adds on the
9 order of Γ steps to signature verification time.

10 When a signature (M, S') is being verified at the server, the alternative
11 exemplary short signature verifier can compute $\mu = H_3(BK, M)$ directly rather than
12 try Γ potential values of μ . It then checks whether $e_m(P, S') = e_m(Q, T)^\mu$. If the
13 equality holds, the signature is accepted. Otherwise, the signature is rejected.

14 With this approach, even if a digital pirate is able to determine the private
15 key $(\alpha_1, \dots, \alpha_n)$, she will not be able to generate signatures that will fool the server
16 except with probability $1/\Gamma$. The verifier at the server will accept only signatures
17 for which the multiplier μ needed to pass the verification test is equal to
18 $H_3(BK, M)$, whereas a verifier at a non-server will accept any μ from 1 to Γ .

19 The hashing function $H_3(BK, M)$ may be implemented using a MAC (such
20 as HMAC-SHA1) using BK as the secret MAC key.

21 **Another Approach for Signatures with Authentication Tags**

22 In this other approach for signatures with authentication tags, a parameter k
23 is fixed. Set $\Gamma = 2^k$. The list of above public keys is appended by points $\beta_1 P, \beta_2 P,$
24 $\dots, \beta_k P$.

1 This alternative exemplary short signature architecture again employs a
2 backdoor check key BK , which is held private and secret at the server. A new
3 hashing function, $H_4(BK, M)$, maps a message M into a k -bit vector (u_1, \dots, u_k) ,
4 where u_i take values ± 1 .

5 The alternative exemplary short signature generator signs a message M by
6 computing $H_4(BK, M) = (u_1, \dots, u_k) \in \{\pm 1\}^k$. The output of the new generator is
7 $(M, S + \sum_{i=1}^k u_i(\beta_i P))$ where S was computed earlier.

8 To verify a signature (M, S') without possession of the backdoor check
9 key BK (i.e., not at the server), the alternative exemplary short signature verifier
10 searches through all 2^k strings in $\{\pm 1\}^k$ until a string (u_1, \dots, u_k) is found such that
11 the pair $(M, S' - \sum_{i=1}^k u_i(\beta_i P))$ passes the verification test. This adds on the order
12 of Γ steps to signature verification.

13 When a signature (M, S') is being verified at the server, the alternative
14 exemplary short signature verifier computes $H_4(BK, M) = (u_1, \dots, u_k) \in \{\pm 1\}^k$
15 directly. It then checks whether, for that specific string (u_1, \dots, u_k) , the pair
16 $(M, S' - \sum_{i=1}^k u_i(\beta_i P))$ passes the verification test.

17 With this approach, even if a digital pirate is able to determine the private
18 key $(\alpha_1, \dots, \alpha_n)$, she will not be able to generate signatures that will fool the server
19 except with probability $1/\Gamma$. The verifier at the server will accept only signatures
20 for which the $(u_1, \dots, u_k) \in \{\pm 1\}^k$ vector needed to pass the verification test is
21 equal to $H_4(BK, M)$.

22 The hashing function $H_4(BK, M)$ may be implemented using a MAC (such
23 as HMAC-SHA1) using BK as the secret MAC key.

Still Another Approach for Signatures with Authentication Tags

In this third scheme for signatures with authentication tags, a parameter Γ is fixed.

Let P_b be the generator of the subgroup of size m of E/K in which the outputs of H_2 lie. The value of P_b will be included with the public key. In addition, the following procedure is followed at key generation time: Compute a list of powers $e_m(P, P_b)^\mu$, for $0 \leq \mu \leq \Gamma - 1$. Pick a hashing function h that maps this list to values in range from 0 to $\Gamma^2 - 1$ without collisions. Append the description of h to the public key. As an example, h might be implemented as $h(x) = \text{SHA1}(\kappa, x) \bmod \Gamma^2$, where κ is a string that is picked so as to avoid collisions—in which case the string κ would be appended to the public key as the description of h . (Note, however, that the function h is not required to have any cryptographic security properties.) Append to the public key the list L of pairs $(h(e_m(P, P_b)^\mu), \mu)$, for $0 \leq \mu \leq \Gamma - 1$, sorted by the first element of the pair.

This alternative exemplary short signature architecture again employs a backdoor check key BK , which is held private and secret at the server. A new hashing function, $H_5(BK, M)$, maps a message M to an integer from 0 to $\Gamma - 1$.

The alternative exemplary short signature generator signs a message M by computing $S' = S + H_5(BK, M) P_b$, where S was defined earlier. The output of the new generator is (M, S') .

To verify a signature (M, S') without possession of the backdoor check key BK (i.e., not at the server), the alternative exemplary short signature verifier computes $\rho = e_m(P, S')/e_m(Q, T)$. The verifier then checks whether there is a pair $(h(\rho), \mu)$ on the list L with first element $h(\rho)$, which would imply $h(\rho) = h(e_m(P,$

1 $P_b)^\mu$). If not, the signature is immediately rejected. If yes, let μ be the second
2 element of that pair. The verifier checks whether $\rho = e_m(P, P_b)^\mu$. If yes, the
3 signature is accepted. If not, the signature is rejected. This procedure adds on the
4 order of $\log \Gamma$ field multiplications to signature verification.

5 When a signature (M, S') is being verified at the server, the alternative
6 exemplary short signature verifier checks the equality $e_m(P, S')/e_m(Q, T) =$
7 $e_m(P, P_b)^\mu$ where $\mu = H_5(BK, M)$. If the equality holds, the signature is accepted;
8 otherwise the signature is rejected.

9 With this approach, even if a digital pirate is able to determine the private
10 key $(\alpha_1, \dots, \alpha_n)$, she will not be able to generate signatures that will fool the server
11 except with probability $1/\Gamma$. The verifier at the server will accept only signatures
12 for which the exponent μ of $e_m(P, P_b)$ needed to pass the verification test is equal
13 to $H_5(BK, M)$.

14 The hashing function $H_5(BK, M)$ may be implemented using a MAC (such
15 as HMAC-SHA1) using BK as the secret MAC key.

16 17 **Truncation of Signature**

18 To reduce the size of a signature while maintaining security, a few bits of
19 the signature may be dropped. In other words, the signature may be truncated.

20 After a signature is produced in accordance with the description of the
21 exemplary short signature architecture herein, a fixed number ℓ of high-order bits
22 of the signature S are removed, truncating the signature while retaining all of M .
23 Verification is performed by trying all possible values for these truncated bits and
24 running the exemplary short signature verification algorithm on each resulting bit
25

1 string. Verification succeeds if and only if at least one value of the truncated bits
2 results in a valid signature.

3 Doing this does not substantially slow down the signing process. Signature
4 verification, if implemented naively, would be slowed down by a factor of 2^ℓ ,
5 since a single regular verification is naively performed for each possible value of
6 the truncated bits.

7 The verification speed can be improved by making a few quick checks on
8 the candidate values of the signature (i.e., for specific choices of the values of the
9 truncated bits). The verification checks that the x -coordinate in the signature is
10 between 0 and $p - 1$.

11 It then checks that this value of x corresponds to a valid point on the curve
12 (by computing the Jacobi symbol of $x^3 + a_4x + a_6$ over p , where a_4 and a_6 are
13 coefficients of the curve equation).

14 The verification then checks that the corresponding point(s) have the
15 correct order m (through multiplying a point by m and comparing to 0).

16 For example, a system may use a point description having 88 bits; however,
17 the description truncates 5 bits (here $\ell = 5$). Those 5 bits are not communicated to
18 the verifier. Rather, the verifier will effectively prepend a possible combination of
19 the 5 unknown bits, trying all 2^ℓ (here, $2^5 = 32$) of these, stopping early if it finds
20 one that gives it a verified result. If none of them are verified, then the signature
21 verification fails.

22 When several possible values of the signature are checked for the same
23 message M (as in the truncation technique), the pairing value $e_m(Q, H_2(M))$ may be
24 computed only once, and the values $e_m(P, S')$ (for various choices of S') are
25 compared to it, since Q depends only on $H_1(M)$ and the public key.

Techniques To Improve Performance Of The Exemplary Short Signature

Architecture

Selection of Curve and Generator Point P

The exemplary short signature architecture may use a curve E and generator P that is selected so that the group generated by P is isomorphic to a subgroup of a curve over $\text{GF}(p^3)$. This is to speed up key generation and signature verification.

The system parameters may be chosen as follows: Let $K_{\text{base}} = \text{GF}(p)$ where $p > 3$ is prime. Let E/K_{base} be an elliptic curve over K_{base} with equation $y^2 = x^3 + a_4x + a_6$ for some a_4 and a_6 in K_{base} . Let m be a large prime dividing both $p^2 - p + 1$ and the group order $|E/K_{\text{base}}|$.

One way to satisfy these conditions finds an integer λ for which $p = \lambda^2 + 1$ is prime. Choose the elliptic curve group E/K_{base} to have order $\lambda^2 + \lambda + 1$ and let m be a large prime divisor of $\lambda^2 + \lambda + 1$. When, for example, $\lambda = -16, -6, -4, -2, 1, 2, 6, 14, 20,$ or 24 , both $\lambda^2 + 1$ and $\lambda^2 + \lambda + 1$ are prime.

Let K_3 , isomorphic to $\text{GF}(p^3)$, be an cubic extension of K_{base} . Let w be a quadratic non-residue in K_{base} — this w remains a non-square in K_3 since the extension has odd degree. Let $K_6 = K_3(t)$ be an extension of K_3 where $t \in \text{GF}(p^2)$ satisfies $t^2 = w$. This K_6 has degree 6 over K_{base} .

Choose τ so the group E/K_{base} has order $p + 1 - \tau$. Then the group orders over the extension fields are

$$|E/\text{GF}(p^2)| = (p + 1 - \tau)(p + 1 + \tau).$$

$$|E/K_3| = (p + 1 - \tau)(p^2 + p\tau + \tau^2 - p + \tau + 1) = p^3 + 1 - \tau^3 + 3p\tau.$$

$$|E/K_6| = (p^3 + 1 - \tau^3 + 3p\tau)(p^3 + 1 + \tau^3 - 3p\tau).$$

$$|E/K_6| / |E/K_3| = p^3 + 1 + \tau^3 - 3p\tau = (p + 1 + \tau)(p^2 - p\tau + \tau^2 - p - \tau + 1).$$

The assumption that m divides both $p^2 - p + 1$ and $|E/K_{\text{base}}| = p + 1 - \tau$ ensures that m divides

$$p^2 - p\tau + \tau^2 - p - \tau + 1 = (p^2 - p + 1) - \tau(p + 1 - \tau).$$

The group $|E/K_{\text{base}}|$ has an element of order m , and the sextic extension E/K_6 has an independent element of order m which is missing from $E/\text{GF}(p^2)$ and E/K_3 . We will use the curve E/K_6 , with two independent points of order m and with coefficients in the base field $K_{\text{base}} = \text{GF}(p)$.

If $Q = (x, y)$ is a finite point on E/K_6 , we define its Frobenius endomorphism to be $\text{Frob}(Q) = (x^p, y^p)$, wherein the coordinates of Q are replaced by their p -th powers. Since the coefficients of E are in $\text{GF}(p)$, the image $\text{Frob}(Q)$ will also be a finite point in E/K_6 . We also define $\text{Frob}(0) = 0$, the point at infinity. The Frobenius endomorphism preserves elliptic curve addition: $\text{Frob}(Q_1 + Q_2) = \text{Frob}(Q_1) + \text{Frob}(Q_2)$ for arbitrary Q_1, Q_2 in E/K_6 . It also preserves scalar multiplication.

Given E , a generator P of order m and not in E/K_{base} (where P_b lies) may be chosen as follows: Start with a random $P' \in E/K_6$. Set

$$P'' = P' - \text{Frob}^3(P') = P' - \text{Frob}(\text{Frob}(\text{Frob}(P')))$$

followed by $P''' = P'' + \text{Frob}(P'')$. Here the Frob^3 operator leaves elements of K_3 and E/K_3 invariant, so the $(1 - \text{Frob}^3)$ annihilates everything in E/K_3 . The $(1 + \text{Frob})(1 - \text{Frob}^3) = (1 + \text{Frob} + \text{Frob}^2)(1 - \text{Frob}^2)$ operator also annihilates

1 $E/\text{GF}(p^2)$, but only about p^4 of the approximately p^6 elements of E/K_6 . The image
2 P''' will be in a subgroup of order

$$\begin{aligned} & (|E/K_6| / |E/K_3|) / (|E/\text{GF}(p^2)| / |E/\text{GF}(p)|) \\ & = p^2 - p\tau + \tau^2 - p - \tau + 1. \end{aligned}$$

3
4
5 Set $P = ((p^2 - p\tau + \tau^2 - p - \tau + 1)/m) P'''$. Then $mP = 0$. If $P = 0$, try again with
6 another P' .

7 Observe that $\text{Frob}^6(Q) = Q$ for all $Q \in E/K_6$. Therefore

$$\begin{aligned} & \text{Frob}^3(P') = \text{Frob}^3(P' - \text{Frob}^3(P)) = \text{Frob}^3(P') - \text{Frob}^6(P) \\ & = \text{Frob}^3(P') - P' = -P''. \end{aligned}$$

8
9
10 Hence either P'' is infinite or it has the form (x, ty) with $x, y \in K_3$. All non-
11 infinite points in the subgroups $\langle P' \rangle$ and $\langle P \rangle$ of E/K_6 generated by P' or by P
12 have this form.

13 Over the field K_3 , let E' be the curve $y'^2 = x'^3 + a_4 w^2 x' + a_6 w^3$. The map
14 $\tau : \langle P \rangle \rightarrow E'$ defined by $(x, ty) \rightarrow (xw, yw^2)$ is an isomorphism from $\langle P \rangle$ to the
15 image $\tau(\langle P \rangle)$. The maps τ and τ^{-1} can be easily computed.

16 This map τ may be used to reduce point addition and scalar multiplication
17 in $\langle P \rangle$, which would normally involve operations over $\text{GF}(p^6)$, to point addition
18 and multiplication in $\tau(\langle P \rangle)$, which involves operations only over $\text{GF}(p^3)$. This
19 approach may speed up key generation and signature verification.

20 In addition, this may also be used to reduce the size of the public key, as
21 points over E/K_6 may be represented as points over E/K_3 (reducing the storage size
22 of each point in half). The points may be directly generated in that form. They
23 may also be used in that form for computing the weighted sums in signature
24 verification. With this, only the result of the weighted sum need be converted
25 back to E/K_6 only for the pairing computation.

1 Selection of Other Values

2 Fix points S and T on E . The computation of the pairing $e_m(S, T)$ can be
3 performed through repeated application of Miller's formula
4 $f_{b+c}(T)=f_b(T)\cdot f_c(T)\cdot g_{bS,cS}(T)/g_{(b+c)S}(T)$ for integers b and c . Here f_c denotes a rational
5 function defined on the curve E with divisor

6
$$(f_c) = c(S) - (cS) - (c-1)(0),$$

7 while $g_{bS,cS}(T)$ is a line through bS and cS , and $g_{(b+c)S}(T)$ is a vertical line through
8 $(b+c)S$.

9 With the exemplary short signature architecture, one may choose the
10 parameters in such a way that the values of $g_{(b+c)S}(T)$ do not need to be computed
11 in the pairing computation.

12 Choose prime p , curve E with coefficients over $GF(p)$, and prime m in
13 such a way that m divides $|E/GF(p)|$, m divides $p^6 - 1$, and m does not divide
14 $p^i - 1$ for any $1 \leq i < 6$. Choose K_6 and P as above.

15 When the Tate Pairing has arguments (S, T) where $S \in E/GF(p)$ and
16 $T \in \langle P \rangle - \{O\} \subset E/K - E/GF(p)$, the values of $g_{(b+c)S}(T)$ do not need to be
17 computed, as shown below.

18 One has $g_{(b+c)S}(T)=x(T)-x((b+c)S)$ (where $x(\cdot)$ is the function mapping
19 curve points to their x coordinates). Now, since $T \in \langle P \rangle$, T has the form (x, ty)
20 with $x, y \in GF(p^3)$ (see above). Thus, $x(T) \in GF(p^3)$. Also,
21 $x((b+c)S) \in GF(p) \subset GF(p^3)$, as $S \in E/GF(p)$. It follows that $g_{(b+c)S}(T) \in GF(p^3)$.

22 As $T \notin E/GF(p)$, it follows that $T \notin \{\pm(b+c)S\}$ since $\{\pm(b+c)S\} \subseteq E/GF(p)$.
23 Consequently, $x(T) \neq x((b+c)S)$ (note that the x coordinates of two elliptic curve
24 points are equal only if either the points are equal, or one is a negation of the
25

1 other). It follows that $g_{(b+c)S}(T) = x(T) - x((b+c)S) \neq 0$. To summarize, we have
2 shown that $g_{(b+c)S}(T) \in \text{GF}(p^3) - \{0\} = \text{GF}(p^3)^*$ (the multiplicative group of $\text{GF}(p^3)$).

3 Next, by assumption, one has $m \mid p^6 - 1 = (p^3 + 1)(p^3 - 1)$, but $m \nmid p^3 - 1$. As
4 m is prime, it follows that $m \mid p^3 + 1$. Consequently,
5 $(p^6 - 1)/m = (p^3 - 1) \times (p^3 + 1)/m$ is divisible by $p^3 - 1$.

6 Now, since $g_{(b+c)S}(T) \in \text{GF}(p^3)^*$, one has $g_{(b+c)S}(T)^{p^3-1} = g_{(b+c)S}(T)^{|\text{GF}(p^3)^*|} = 1$.
7 As shown, $p^3 - 1$ divides $(p^6 - 1)/m$, and so $g_{(b+c)S}(T)^{(p^6-1)/m} = 1$. Note that the
8 result of the pairing computation is raised to the power $(p^6 - 1)/m$. It follows that
9 the factor $g_{(b+c)S}(T)$ in the computation can be replaced by 1, as in the final
10 exponentiation it will become 1.

11 Efficient Exponentiation to the Power $p^3 - 1$

12
13 Exponentiation to the power $p^3 - 1$ is used as part of the final
14 exponentiation in the pairing computation.

15 Assume the system parameters are chosen as above. During the final
16 phases of a Tate Pairing or Squared Tate Pairing, an element v of K_6 , in the form
17 $v = a + b\sqrt{w}$ for $a, b \in K_3$ and quadratic non-residue $w \in \text{GF}(p)$, needs to be raised
18 to the power $(p^6 - 1)/m$. The exponentiation is done in three steps: v is raised to
19 the power $p^3 - 1$, and then to the powers $p+1$ and $(p^2 - p + 1)/m$ (as mentioned
20 earlier, $p^2 - p + 1$ is assumed divisible by m).

21 The computation of v^{p^3-1} is done as follows: One computes $\bar{v} = a - b\sqrt{w}$.
22 One then computes the result v^{p^3-1} as \bar{v}/v .

23 The computation of a $(p+1)$ -th power consists of a p -th power times the
24 original, and is easy in characteristic p .

1 Checking the Jacobi Symbol

2 The computation of $H_2(M)$ can be speeded up, on the average, by checking
3 the Jacobi symbol before trying to extract a square root.

4 In the computation of $H_2(M)$ it is necessary to use a random value of
5 $x \in GF(p)$ to generate a point on the curve $E/GF(p)$, or try again if x does not
6 correspond to a point. This involves computing the square root of $f(x) = x^3 + a_4x +$
7 a_6 , where a_4 and a_6 are the coefficients of E . Note that the square root might not
8 be defined. The optimization is that the Jacobi symbol

$$9 \left(\frac{f(x)}{p} \right)$$

10 is computed first and compared to $+1$ or to 0 , to check whether a square root
11 exists. When y exists, and a square root chosen as part of the definition of H_2 , the
12 resulting point (x, y) can be multiplied by $|E/GF(p)|/m$ to get an m -torsion point
13

14 Storing The Public Key Points

15 The public key points may be stored in the form $P_1 \pm P_2, P_3 \pm P_4, \dots$ to
16 speed up the computation of $\pm P_1 \pm P_2 \pm \dots$, without increasing storage.
17

18 In the process of signature verification, it is necessary to compute a sum of
19 the form $\sum_{i=1}^n v_i P_i$, where P_1, \dots, P_n are points on E/K_6 that are part of the public
20 key, and $v_i \in \{\pm 1\}$ depend on the message. Assume that n is even. Done naively,
21 the computation of the above sum takes $n-1$ point additions/subtractions. The
22 method described here reduces this number to $n/2 - 1$, with some precomputation,
23 but without increase in long-term storage.
24
25

1 The method is as follows: Instead of storing the values P_1, P_2, \dots, P_n in the
2 public key, store the pairs of values $P_1 \pm P_2, P_3 \pm P_4, \dots, P_{n-1} \pm P_n$. Note that the
3 size of the public key does not increase (n points are replaced by n points).

4 The computation of a sum $\pm P_1 \pm P_2 \pm \dots \pm P_n$ is done as follows: The sum is
5 broken into blocks of 2 points, as follows: $(\pm P_1 \pm P_2) + (\pm P_3 \pm P_4) + \dots + (\pm P_{n-1} \pm P_n)$.
6 Now the value of each block $\pm P_{2i-1} \pm P_{2i}$ is either stored directly (if P_{2i-1} appears
7 with a positive sign), or its negation is stored (if P_{2i-1} appears with a negative
8 sign). Thus the sum is transformed into the form $\pm P'_1 \pm P'_2 \pm \dots \pm P'_{n/2}$, which has
9 only $n/2$ terms.

10 Note that the method can be adapted to block lengths greater than 2 (i.e.,
11 weighted sums of more than 2 points could be precomputed), for greater speed-up,
12 but that would lead to an increase in storage requirements.

13 Exemplary Computing System and Environment

14
15 **Fig. 3** illustrates an example of a suitable computing environment 300
16 within which an exemplary short signature architecture, as described herein, may
17 be implemented (either fully or partially). The computing environment 300 may
18 be utilized in the computer and network architectures described herein.

19 The exemplary computing environment 300 is only one example of a
20 computing environment and is not intended to suggest any limitation as to the
21 scope of use or functionality of the computer and network architectures. Neither
22 should the computing environment 300 be interpreted as having any dependency
23 or requirement relating to any or omponents illustrated in the exemplary
24 computing environment 300.

1 The exemplary short signature architecture may be implemented with
2 numerous other general purpose or special purpose computing system
3 environments or configurations. Examples of well-known computing systems,
4 environments, and/or configurations that may be suitable for use include, but are
5 not limited to, personal computers, server computers, thin clients, thick clients,
6 hand-held or laptop devices, multiprocessor systems, microprocessor-based
7 systems, set top boxes, programmable consumer electronics, network PCs,
8 minicomputers, mainframe computers, smart cards, distributed computing
9 environments that include any of the above systems or devices, and the like.

10 The exemplary short signature architecture may be described in the general
11 context of computer-executable instructions, such as program modules, being
12 executed by a computer. Generally, program modules include routines, programs,
13 objects, components, data structures, etc. that perform particular tasks or
14 implement particular abstract data types. The exemplary short signature
15 architecture may also be practiced in distributed computing environments where
16 tasks are performed by remote processing devices that are linked through a
17 communications network. In a distributed computing environment, program
18 modules may be located in both local and remote computer storage media
19 including memory storage devices.

20 The computing environment 300 includes a general-purpose computing
21 device in the form of a computer 302. The components of computer 302 may
22 include, but are not limited to, one or more processors or processing units 304, a
23 system memory 306, and a system bus 308 that couples various system
24 components including the processor 304 to the system memory 306.

1 The system bus 308 represents one or more of any of several types of bus
2 structures, including a memory bus or memory controller, a peripheral bus, an
3 accelerated graphics port, and a processor or local bus using any of a variety of
4 bus architectures. By way of example, such architectures may include an Industry
5 Standard Architecture (ISA) bus, a Micro Channel Architecture (MCA) bus, an
6 Enhanced ISA (EISA) bus, a Video Electronics Standards Association (VESA)
7 local bus, and a Peripheral Component Interconnects (PCI) bus also known as a
8 Mezzanine bus.

9 Computer 302 typically includes a variety of computer readable media.
10 Such media may be any available media that is accessible by computer 302 and
11 include both volatile and non-volatile media, removable and non-removable
12 media.

13 The system memory 306 includes computer readable media in the form of
14 volatile memory, such as random access memory (RAM) 310, and/or non-volatile
15 memory, such as read-only memory (ROM) 312. A basic input/output system
16 (BIOS) 314, containing the basic routines that help to transfer information
17 between elements within computer 302, such as during start-up, is stored in ROM
18 312. RAM 310 typically contains data and/or program modules that are
19 immediately accessible to and/or presently operated on by the processing unit 304.

20 Computer 302 may also include other removable/non-removable,
21 volatile/non-volatile computer storage media. By way of example, Fig. 3
22 illustrates a hard disk drive 316 for reading from and writing to a non-removable,
23 non-volatile magnetic media (not shown), a magnetic disk drive 318 for reading
24 from and writing to a removable, non-volatile magnetic disk 320 (e.g., a “floppy
25 disk”), and an optical disk drive 322 for reading from and/or writing to a

1 removable, non-volatile optical disk 324 such as a CD-ROM, DVD-ROM, or other
2 optical media. The hard disk drive 316, magnetic disk drive 318, and optical disk
3 drive 322 are each connected to the system bus 308 by one or more data media
4 interfaces 326. Alternatively, the hard disk drive 316, magnetic disk drive 318,
5 and optical disk drive 322 may be connected to the system bus 308 by one or more
6 interfaces (not shown).

7 The disk drives and their associated computer-readable media provide non-
8 volatile storage of computer readable instructions, data structures, program
9 modules, and other data for computer 302. Although the example illustrates a hard
10 disk 316, a removable magnetic disk 320, and a removable optical disk 324, it is to
11 be appreciated that other types of computer readable media which may store data
12 that is accessible by a computer, such as magnetic cassettes or other magnetic
13 storage devices, flash memory cards, CD-ROM, digital versatile disks (DVD) or
14 other optical storage, random access memories (RAM), read-only memories
15 (ROM), electrically erasable programmable read-only memory (EEPROM), and
16 the like, may also be utilized to implement the exemplary computing system and
17 environment.

18 Any number of program modules may be stored on the hard disk 316,
19 magnetic disk 320, optical disk 324, ROM 312, and/or RAM 310, including by
20 way of example, an operating system 326, one or more application programs 328,
21 other program modules 330, and program data 332.

22 A user may enter commands and information into computer 302 via input
23 devices such as a keyboard 334 and a pointing device 336 (e.g., a "mouse").
24 Other input devices 338 (not shown specifically) may include a microphone,
25 joystick, game pad, satellite dish, serial port, scanner, and/or the like. These and

1 other input devices are connected to the processing unit 304 via input/output
2 interfaces 340 that are coupled to the system bus 308, but may be connected by
3 other interface and bus structures, such as a parallel port, game port, or a universal
4 serial bus (USB).

5 A monitor 342 or other type of display device may also be connected to the
6 system bus 308 via an interface, such as a video adapter 344. In addition to the
7 monitor 342, other output peripheral devices may include components such as
8 speakers (not shown) and a printer 346 which may be connected to computer 302
9 via the input/output interfaces 340.

10 Computer 302 may operate in a networked environment using logical
11 connections to one or more remote computers, such as a remote computing device
12 348. By way of example, the remote computing device 348 may be a personal
13 computer, portable computer, a server, a router, a network computer, a peer device
14 or other common network node, and the like. The remote computing device 348 is
15 illustrated as a portable computer that may include many or all of the elements and
16 features described herein relative to computer 302.

17 Logical connections between computer 302 and the remote computer 348
18 are depicted as a local area network (LAN) 350 and a general wide area network
19 (WAN) 352. Such networking environments are commonplace in offices,
20 enterprise-wide computer networks, intranets, and the Internet.

21 When implemented in a LAN networking environment, the computer 302 is
22 connected to a local network 350 via a network interface or adapter 354. When
23 implemented in a WAN networking environment, the computer 302 typically
24 includes a modem 356 or other means for establishing communications over the
25 wide network 352. The modem 356, which may be internal or external to

1 computer 302, may be connected to the system bus 308 via the input/output
2 interfaces 340 or other appropriate mechanisms. It is to be appreciated that the
3 illustrated network connections are exemplary and that other means of establishing
4 communication link(s) between the computers 302 and 348 may be employed.

5 In a networked environment, such as that illustrated with computing
6 environment 300, program modules depicted relative to the computer 302, or
7 portions thereof, may be stored in a remote memory storage device. By way of
8 example, remote application programs 358 reside on a memory device of remote
9 computer 348. For purposes of illustration, application programs and other
10 executable program components such as the operating system are illustrated herein
11 as discrete blocks, although it is recognized that such programs and components
12 reside at various times in different storage components of the computing device
13 302, and are executed by the data processor(s) of the computer.

14 15 Computer-Executable Instructions

16 An implementation of an exemplary short signature architecture may be
17 described in the general context of computer-executable instructions, such as
18 program modules, executed by one or more computers or other devices.
19 Generally, program modules include routines, programs, objects, components, data
20 structures, etc. that perform particular tasks or implement particular abstract data
21 types. Typically, the functionality of the program modules may be combined or
22 distributed as desired in various embodiments.

1 Exemplary Operating Environment

2 Fig. 3 illustrates an example of a suitable operating environment 300 in
3 which an exemplary short signature architecture may be implemented.
4 Specifically, the exemplary short signature architecture(s) described herein may be
5 implemented (wholly or in part) by any program modules 328-330 and/or
6 operating system 326 in Fig. 3 or a portion thereof.

7 The operating environment is only an example of a suitable operating
8 environment and is not intended to suggest any limitation as to the scope or use or
9 functionality of the exemplary short signature architecture(s) described herein.
10 Other well-known computing systems, environments, and/or configurations that
11 are suitable for use include, but are not limited to, personal computers (PCs),
12 server computers, hand-held or laptop devices, multiprocessor systems,
13 microprocessor-based systems, programmable consumer electronics, wireless
14 phones and equipments, general- and special-purpose appliances, application-
15 specific integrated circuits (ASICs), network PCs, minicomputers, mainframe
16 computers, distributed computing environments that include any of the above
17 systems or devices, and the like.

18
19 Computer Readable Media

20 An implementation of an exemplary short signature architecture may be
21 stored on or transmitted across some form of computer readable media.
22 Computer readable media may be any available media that may be accessed by a
23 computer. By way of example, and not limitation, computer readable media may
24 comprise “computer storage media” and “communications media”.

1 “Computer storage media” include volatile and non-volatile, removable and
2 non-removable media implemented in any method or technology for storage of
3 information such as computer readable instructions, data structures, program
4 modules, or other data. Computer storage media include, but are not limited to,
5 RAM, ROM, EEPROM, flash memory or other memory technology, CD-ROM,
6 digital versatile disks (DVD) or other optical storage, magnetic cassettes, magnetic
7 tape, magnetic disk storage or other magnetic storage devices, or any other
8 medium which may be used to store the desired information and which may be
9 accessed by a computer.

10 “Communication media” typically embody computer readable instructions,
11 data structures, program modules, or other data in a modulated data signal, such as
12 carrier wave or other transport mechanism. Communication media also include
13 any information delivery media.

14 The term “modulated data signal” means a signal that has one or more of its
15 characteristics set or changed in such a manner as to encode information in the
16 signal. By way of example, and not limitation, communication media include
17 wired media such as a wired network or direct-wired connection, and wireless
18 media such as acoustic, RF, infrared, and other wireless media. Combinations of
19 any of the above are also included within the scope of computer readable media.

20 21 **Conclusion**

22 Although the invention has been described in language specific to structural
23 features and/or methodological steps, it is to be understood that the invention
24 defined in the appended claims is not necessarily limited to the specific features or
25

1 steps described. Rather, the specific features and steps are disclosed as preferred
2 forms of implementing the claimed invention.

3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25